

Page 1 of 1

All amounts are calculated in domestic currency.

es from 11/28/2016 to 11/28/2016

All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name VU-MET002 A.M. Castle & Co. (Canada) Inc.- C/O 910720											
PO34228	1		M7075T6B1.250X07. f 000		11/28/2016	11/28/2016	33.3333		0.0000	0	\$0.00
USD	No		7075-T6 BAR 1.25" f X 7.000" ORDER PRE CUT TO 50.00" m136248		33.3333	PLOU01			0.0000	0	
	2		M7075T6B1.750X02. f 250		11/28/2016	11/28/2016	12.0000		0.0000	0	\$0.00
	No		7075-T6 BAR 1.750" f X 2.250" m136248		12.0000	PLOU01			0.0000	0	
	5		M7075T73B3.000X4. f 000		11/28/2016	11/28/2016	4.0000		0.0000	0	\$0.00
	No		7075-T73 Bar 3.0 x 4.0 grain direction along 3" m136248		4.0000	PLOU01			0.0000	0	
Total Received Quantity:											49.3333
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$0.00
Total Balance Due Quantity:											0.0000


INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No: 3128724

Ship From: A. M. CASTLE & CO. 14001 ORANGE AVENUE PARAMOUNT, CA 90723 USA		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 16-NOV-16	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier ABF	BOL No 3128724-2			

Shipment Details		Final Destination Branch - TOR	
-------------------------	--	---------------------------------------	--

Order No 4555598	Line No 2	Item No 752114.MO	Description 1.2500.P.L.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT RECTANGLE TO 7 IN (+ .0620/- .0000 IN (GRAIN TO RUN ALONG 50")) X 50 IN (+ .0620/- .0000 IN (GRAIN TO RUN ALONG 50")) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12				
Purchase Order No 34228	Part Number	Ordered Qty 8.00 PCS	Invoice Qty 8.00 PCS				
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dataero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS							
Delivery No. 120672146	Mill KAISER ALUMINUM	Heat Number  7 8 9 4 8 3 A 5 1	Mech Id 8	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS) 362.2664

SP16-11-28

INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material not the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date: Name:



8899-11-28



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE


Page 1 of 2

Shipment No: 3135370

Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 25-NOV-16	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOU LIN	BOL No 3135370-2

Shipment Details

Final Destination Branch - TOR

Order No 4555598	Line No 3	Item No 750488.MO	Description 1.7500.PL.7075.T651.ALUMINUM.US1.48.5000.144.5000 CUT 2SIDED TO 2.25 IN (+ .1250/- .0000 IN) X 144.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: (AMS-QQ-A-250/12)
Purchase Order No 34228	Part Number	Ordered Qty 1.00 PCS	Invoice Qty 1.00 PCS
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS			
Delivery No. 120668529	Mill KAISER ALUMINUM	Heat Number  791431A01	Mech Id 1
		PCS ✓	Width (IN)
		Length (IN)	Shipped Qty(LBS) 58.9109

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify, the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.
Date Printed: 25-NOV-2016 04:21:51 PM



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:

Date: Name:

Chris Hall

NOV 25 2016



8016-11-28



Castle Metals®


A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No:3135370

Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 25-NOV-16	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOU LIN	BOL No 3135370-2

Shipment Details			Final Destination Branch - TOR				
Order No	Line No	Item No	Description	Ordered Qty	Invoice Qty		
4555598	6	752132.MO	4.0000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT RECTANGLE TO 48.5 IN (+ .1250/- .0000 IN (GRAIN TO RUN ALONG 3"))X 3 IN (+ .1250/- .0000 IN (GRAIN TO RUN ALONG 3")) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12	1.00 PCS	1.00 PCS		
Purchase Order No		Part Number					
34228							
Details			ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dataero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS				
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
120672092	KAISER ALUMINUM	 16934782		1			60.3104
SOLIC-11-28							

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.
Date Printed: 25-NOV-2016 04:21:51 PM



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:

Date: Name:

Chris Hill

NOV 25 2016



5816-11-28

SHIP TO:

A M CASTLE & CO
14001 ORANGE AVE
P.O. BOX 1402
PARAMOUNT, CA 90723

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

CERTIFIED TEST REPORT

Serial Number

4416627

CUSTOMER PO NUMBER: 371277		WORK PACKAGE:	CUSTOMER PART NUMBER: 752132		SHIP RUN/LOAD: 103547/17	GOV'T CONTRACT NUMBER:	
KAISER ORDER NO: 1209457	LINE ITEM: 1	SHIP DATE: 28-APR-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T7351	PRODUCT DESCRIPTION: KaiserSelect Plate	
WEIGHT SHIPPED: 5706 LB	QUANTITY: 2 PCS EST.	TRUCK B/L #: 2059983	GAUGE: 4.0000 IN (101.6000 MM)		DIAMETER/WIDTH: 48.500 IN (1231.9 MM)	LENGTH: 144.500 IN (3670.3 MM)	

MHU 1991888: LOT 169347B2: 1 pieces;

MHU 1993572: LOT 172427B7: 1 pieces;

Certified Specifications

AMS 4078/RevJ
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
MMS 159/RevT

AMS-QQ-A-250/12/RevA
ASTM B-594/Rev13
CMMP 025/RevU
GAMPS 9101/RevB/AmdSCN1
PS 21211/RevP

AMS-STD-2154/RevA
BAC 5439/RevJ
CSTI 006/RevE
GSS16100/RevG/Amd1

Test Code: 4297

Test Results

Lot: 169347B2 Cast 179

Drop 45

Ingot 3

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:

Temper
T7351

Dir / # Tests

LT / 3 (Min:Max)

Ultimate KSI (MPA)

61.8 : 63.7

(426 : 439)

Yield KSI (MPA)

49.2 : 50.9

(339 : 351)

Elongation %

10.1 : 10.9

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :

41.3 Min

42.4 Max

(MS/M) :

24.0 Min

24.6 Max

(ASTM E1251)

Chemistry:

SI

FE

CU

MN

MG

CR

ZN

TI

V

ZR

OTHER

Actual(wt%)

0.08

0.18

1.5

0.03

2.5

0.20

5.9

0.03

0.01

0.01

TOT

0.05



KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4416627

Lot: 172427B7 Cast 189 Drop 13 Ingot 2 Melted in USA

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	62.7 : 62.9 (432 : 434)	49.6 : 49.9 (342 : 344)	10.5 : 10.9

(ASTM E1004)
(EN 2004-1)

Conductivity %IACS :	41.3 Min	41.7 Max
(MS/M) :	24.0 Min	24.2 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.07	0.17	1.5	0.03	2.5	0.20	5.7	0.03	0.01	0.01	TOT 0.05

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC CA-15413E R 6

TEST NOTES

Metal represented by this test report was 100% Type I
(immersion) ultrasonically tested from one side with 3mm
dead zones top and bottom and meets the Class A and Class B
requirements of all specifications referenced on this test
report. No surface marking of sonic indications is
performed.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:
* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.
* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
* has been thermally processed in compliance with AMS 2772, where applicable.
* is mercury free, within the limits of detection of ASTM E1251 (< = 1ppm).
* is in compliance with RoHS 2, European Union Directive 2011/65/EU.
* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.
* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER

SHIP TO:
A M CASTLE & CO
14001 ORANGE AVE
P.O. BOX 1402
PARAMOUNT, CA 90723

SOLD TO:
AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

**KAISER
ALUMINUM**

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4435672

CUSTOMER PO NUMBER: 397693-1	WORK PACKAGE:	CUSTOMER PART NUMBER: 750488	SHIP RUN/LOAD: 103710/6	GOV'T CONTRACT NUMBER:	
KAISER ORDER NO: 1221544-1	SHIP DATE: 10-OCT-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T651	PRODUCT DESCRIPTION: KaiserSelect Plate
WEIGHT SHIPPED: 3780 LB	QUANTITY: 3 PCS EST.	TRUCK B/L #: 2062843	GUAGE: 1.7500 IN (44.4500 MM)	DIAMETER/WIDTH: 48.500 IN (1231.9 MM)	LENGTH: 144.500 IN (3670.3 MM)

MHU 2047616: LOT 791431A0: 3 pieces;

Certified Specifications

AMS 4045/RevL
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
PS 21211/RevP

AMS-QQ-A-250/12/RevA
ASTM B 594/Rev13
CMMP 025/RevV
GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevA
BAC 5439/RevJ
CSTI 006/RevE
GSS16100/RevG/Amd1

DAS
14
9-89

16/12/02

Test Code: 1512

Lot: 791431A0 Cast 280

Drop 39

Test Results

Ingot 1

Parent Lot: 191786B3

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper T651	Dir / # Tests LT / 2 (Min:Max)	Ultimate KSI (MPA) 82.0 : 82.8 (565 : 571)	Yield KSI (MPA) 73.0 : 73.8 (503 : 509)	Elongation % 12.2 : 12.5
----------	----------------	-----------------------------------	--	---	-----------------------------

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.18	1.5	0.03	2.4	0.19	5.9	0.03	0.01	0.02	TOT 0.05

ALLOY LIMITS

7075	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC CA-15403A R



KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4435672

TEST NOTES

Metal represented by this test report was 100% Type I
(immersion) ultrasonically tested from one side with 3mm
dead zones top and bottom and meets the Class A and Class B
requirements of all specifications referenced on this test
report. No surface marking of sonic indications is
performed.

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- A: test equipment and measuring devices are calibrated and certified in accordance with applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- was melted in the United States of America or a qualifying country per DFARS 225.872-11(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- has been thermally processed in compliance with AMS 2772, where applicable.
- is mercury free, within the limits of detection of ASTM E1215 (< 1ppm).
- is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907:2006, and Kaiser regularly monitors these regulations for updates.
- is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- is free of weld repair.
- meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER

SHIP TO:

A M CASTLE & CO
14001 ORANGE AVE
P.O. BOX 1402
PARAMOUNT, CA 90723

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

CERTIFIED TEST REPORT

Serial Number

4427316

CUSTOMER PO NUMBER: 381975		WORK PACKAGE:		CUSTOMER PART NUMBER: 752114		SHIP RUN/LOAD: 103637/4		GOV'T CONTRACT NUMBER:		
KAISER ORDER NO: 1214274		LINE ITEM: 1	SHIP DATE: 29-JUL-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T651	PRODUCT DESCRIPTION: KaiserSelect Plate			
WEIGHT SHIPPED: 2678 LB		QUANTITY: 3 PCS EST.		TRUCK B/L #: 2061574		GAUGE: 1.2500 IN (31.7500 MM)		DIAMETER/WIDTH: 48.500 IN (1231.9 MM)		LENGTH: 144.500 IN (3670.3 MM)

MHU 2023617: LOT 789483A5: 3 pieces:

Certified Specifications

DAS
14
9-99

16/12/02

AMS 4045/RevL
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
PS 21211/RevP

AMS-QQ-A-250/12/RevA
ASTM B 594/Rev13
CMMP 025/RevV
GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevA
BAC 5439/RevJ
CSTI 006/RevE
GSS16100/RevG/Amd1

Test Code: 1512

Test Results

Lot: 789483A5 Cast 246 Drop 04 Ingot 2 Parent Lot: 182963B9 Melted in USA

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper T651	Dir / # Tests LT / 2 (Min:Max)	Ultimate KSI (MPA) 80.4 : 81.6 (554 : 563)	Yield KSI (MPA) 70.1 : 72.3 (483 : 499)	Elongation % 13.4 : 13.4
----------	----------------	-----------------------------------	--	---	-----------------------------

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.07	0.17	1.5	0.03	2.5	0.20	5.8	0.03	0.01	0.01	TOT 0.06



KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4427316

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC CA-15403A R 7

TEST NOTES


Metal represented by this test report was 100% Type I
(immersion) ultrasonically tested from one side with 3mm
dead zones top and bottom and meets the Class A and Class B
requirements of all specifications referenced on this test
report. No surface marking of sonic indications is
performed.

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- All test equipment and measuring devices are calibrated and certified in accordance with applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown therein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- has been thermally processed in compliance with AMS 2772, where applicable.
- is mercury free, within the limits of detection of ASTM E1215 (<1 ppm).
- is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.
- is free of Conflict Minerals, as defined in Section 1502 of the Dodd-Frank Act.
- is free of weld repair.
- meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 117075T73B3.00X4.00

PO / BATCH NO: 34228/136248

DATE: 11/12/02

MATERIAL CERT REQD: yes

THICKNESS ORDERED: 3.00

QUANTITY RECEIVED: 4'

THICKNESS RECEIVED: 3.00

QUANTITY INSPECTED: 4'

SHEET SIZE ORDERED: _____

QUANTITY REJECTED: _____

SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	7075T73
CORRECT THICKNESS	(Y) N	3.00
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(Y) N	AMS-QQ-A-250/12
CORRECT REF # TO LINK CERT	(Y) N	HEAT# 1169347B2
CORRECT MATERIAL IDENTIFICATION	(Y) N	117075T73B3.00X4.00
CORRECT M# ON THE MATERIAL	(Y) N	M136248
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.
RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>DAS</u> <u>14</u> <u>0-00</u> DATE: <u>11/12/02</u>	SIGNED OFF BY: _____ DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075 TL6 B1.250X7.00

PO BATCH NO.: 34228/136248

DATE: 11/12/02

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: 1.250

QUANTITY RECEIVED: 33.333

THICKNESS RECEIVED: 1.250

QUANTITY INSPECTED: 33.333

SHEET SIZE ORDERED: _____

QUANTITY REJECTED: _____

SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	<u>7075 TL6</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> N	<u>1.250</u>
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	<u>AMS-QQ-A-250/12</u>
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	<u>HEAT# 789483 AS</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N	<u>M7075 TL6 B1.250X7.00</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	<u>M136248</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK.
RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
DAS 14 9:30			
INSPECTED BY: _____		SIGNED OFF BY: _____	
DATE: <u>11/12/02</u>		DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075 TL B1.750 X 2.250

PO / BATCH NO.: 34228/136248

DATE: 16/12/02

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: 1.750

QUANTITY RECEIVED: 12

THICKNESS RECEIVED: 1.750

QUANTITY INSPECTED: 12

SHEET SIZE ORDERED: _____

QUANTITY REJECTED: _____

SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	<u>7075 TL</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> N	<u>1.750</u>
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	<u>AMS-00-A-250/12</u>
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	<u>HEAT# 791431A0</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N	<u>M7075 TL B1.750 X 2.250</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	<u>M136248</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.
RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 14</u> DATE: <u>16/12/02</u>	SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO34228

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 1 of 1

EMAILED

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

NOV 08 2016

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
----------	---	------------------------	--------------------------------------	----	--------------------------------	---------------	-------------------

1	M7075T6B1.250X07.000	7075-T6 BAR 1.25" X 7.000" ORDER PRE CUT TO 50.00"	11/23/2016	Yes 11/23/2016	33.33 f	\$52.08	\$1,736.00
---	----------------------	--	------------	-------------------	------------	---------	------------

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

NOTE: CUT 8 PCS TO 50" LONG, GRAIN DIRECTION ALONG LENGHT

Line Total: \$1,736.00

2	M7075T6B1.750X02.250	7075-T6 BAR 1.750" X 2.250"	11/23/2016	Yes 11/23/2016	12.00 f	\$30.75	\$369.00
---	----------------------	--------------------------------	------------	-------------------	------------	---------	----------

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$369.00

Note:

11/8/2016

816-11-28



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO34228

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 2 of 3

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

3	M7075T6B5.000X0.375	7075-T6 BAR 5.000" X 0.375"	11/23/2016	12.00	\$16.60	\$199.20
		Yes		f		
		11/23/2016				

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$199.20

4	M7075T6B6.000X0.250	7075-T6 BAR 6.000" X 0.250"	11/23/2016	12.00	\$14.50	\$174.00
		Yes		f		
		11/23/2016				

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$174.00

5	M7075T73B3.000X4.000 ✓	7075-T73 Bar 3.0 x 4.0 ✓ grain direction along 3"	11/23/2016	4.00 ✓	\$91.75	\$367.00
		Yes		f		
		11/23/2016				

MATERIAL: 7075-T73/T7351/T73510/T73511 BAR AS PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 OR AMS 4124 OR AMS-QQ-A-250/12 OR AMS 4078

NOTE: GRAIN DIRECTION MUST RUN ALONG 3" WIDE

SP/6-11-28

Note:

11/8/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO34228**

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 3 of 3

Order From :

VU-MET002

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB Destination-Collect

Chantal Lavoie

Line Total: \$367.00

6 16011-00

7075T6 ROUND BILLET
8" DIA X 2.750" LONG

11/23/2016

8.00

\$114.00

\$912.00

Yes

Each

NEW JIGS FOR WELDING ROBOT

11/23/2016

NOV 21 2016

DAS
26
9-89

Line Total: \$912.00

Deliver To: ERIC.L

7 71401-45

PROCUREMENT
QUALITY CLAUSES

11/23/2016

1.00

\$0.00

\$0.00

No

Procurement Quality Clauses

11/23/2016

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

Line Total: \$0.00

PO Total: \$3,757.20

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 11/8/2016